Attorney Docket No.

Patent 027065-041

IN THE UNIT PATENT AND TRADEMARK OFFICE

MAIL STOP AMENDMENT

Application of

Yuji Nagatomo et al.

Application No.: 10/791,801

Filing Date:

March 4, 2004

Group Art Unit: 2859

Examiner: AMY R COHEN

Confirmation No.: 5224

Title: CONTACT CHARGER AND IMAGE FORMING APPARATUS

AMENDMENT/REPLY TRANSMITTAL LETTER

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Enc	losed is a reply for the above-identified patent application.			
	A Petition for Extension of Time is also enclosed.			
	Terminal Disclaimer(s) and the \$65.00 (2814) \$130.00 (1814) fee per Disclaimer due under 37 C.F.R. § 1.20(d) are also enclosed.			
X	Also enclosed is/are Article "The Interfacial Tension of Spherical and Acicular Colloidal Dispersions			
	Small entity status is hereby claimed.			
	Applicant(s) requests continued examination under 37 C.F.R. § 1.114 and enclose the \$395.00 (2801) \$790.00 (1801) fee due under 37 C.F.R. § 1.17(e).			
	Applicant(s) requests that any previously unentered after final amendments <u>not</u> be entered. Continued examination is requested based on the enclosed documents identified above.			
	Applicant(s) previously submitted			
	for which continued examination is requested.			
	Applicant(s) requests suspension of action by the Office until at least, which does not exceed three months from the filing of this RCE, in accordance with 37 C.F.R. § 1.103(c). The required fee under 37 C.F.R. § 1.17(i) is enclosed.			
	A Request for Entry and Consideration of Submission under 37 C.F.R. § 1.129(a) (1809/2809) is also enclosed.			

OCT 1 1 2005

No additional claim fee is recuired

An additional claim fee is required, and is calculated as shown below.

1211 Date Cancel		AM	ENDE	D CLAIMS				
TRADENAMO	No. of Claims	Highest of Clair Previou Paid F	ms sly	Extra Claims		Ra	te	Additional Fee
Total Claims		MINUS	11	0	×	\$50.00	(1202) =	\$ 0.00
Independent Claims		MINUS		0	x	\$200.00	(1201) =	\$ 0.00
If Amendment adds n	nultiple depen	dent claims,	, add \$	360.00 (1203)				
Total Claim Amendment Fee				\$ 0.00				
Small Entity Status claimed - subtract 50% of Total Claim Amendment Fee				\$ 0.00				
TOTAL ADDITIONAL CLAIM FEE DUE FOR THIS AMENDMENT				\$ 0.00				

A check in the amount of	of is enclosed for the fee due.
Charge	to Deposit Account No. 02-4800.
Charge	to credit card. Form PTO-2038 is attached.

The Director is hereby authorized to charge any appropriate fees under 37 C.F.R. §§ 1.16, 1.17, 1.20(d) and 1.21 that may be required by this paper, and to credit any overpayment, to Deposit Account No. 02-4800. This paper is submitted in duplicate.

Respectfully submitted,

BUCHANAN INGERSOLL PC

P.O. Box 1404 Alexandria, Virginia 22313-1404 (703) 836-6620

Date: Oct. 11, 2005

William C. Rowland Registration No. 30,888



In re Patent Application of

IN THE UN

Yuji Nagatomo et al.

Application No.: 10/791,801

Filed: March 4, 2004

For: CONTACT CHARGER AND IMAGE

FORMING APPARATUS

MAIL STOP AMENDMENT

TRADÉMARK OFFICE

Group Art Unit: 2859

Examiner: AMY R COHEN

Confirmation No.: 5224

RESPONSE

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

The Examiner is thanked for the careful examination of the application.

However, in view of the following remarks, the Examiner is respectfully urged to reconsider and withdraw the outstanding objections and rejections.

Claim Objections:

The Examiner alleges that claims 2, 3, 7, and 8 are objected to because it is allegedly unclear which part of the acicular particles should be measured to find the aspect ratio and the primary particle diameter. The Office Action states that "[s]ince acicular particles are needle shaped, they taper to a tip." However, this definition of "acicular" is not the commonly understood definition. An acicular particle does not need to taper to a tip. See for example, the language in paragraph [0034] of the present application, wherein the particles are described as having a longitudinal length that is greater than the diameter of the particle. The Examiner's attention is also directed to an article by a professor at Department of Chemical and Biological Engineering at the University of Alabama, wherein "acicular" is defined as "rod-liked"